

6/26/2012

QCM0269

Quotation

_

To: Steven Institute of Technology ZEBI

Hoboken NJ 07030

From: Performance Interiors Christian Masson 9801 Washingtonian Blvd, MS 31 Gaithersburg, MD 20878 Phone: (301) 987-4708

| Item | Qty | | Description | Sell Each | Sell Total |
|------|-----|----|--|-----------|------------|
| 1 | 1 | ea | COMBINATION PREPARATION/REFRIGERATED AIR-SCREEN | 11,727.37 | 11,727.37 |
| | | | Structural Concepts Model No. GP441RR Packed: each | | |
| | | | Fusion® Preparation/Self-Serve Air-Screen Refrigerated Case, 51" L, adjustable condiment pan rail, 16"D work surface, self-serve refrigerated base with Breeze™ w/EnergyWise refrigeration system, full end panels w/mirror, laminated upper front panel, stainless steel rear exterior, open non-refrigerated rear storage area, NSF7 | | |
| | 1 | ea | NOTE: 52" minimum entry door clearance required (w/out shipping skid) | | |
| | 1 | ea | NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle | | |
| | 1 | ea | 1 yr. parts & labor warranty, 5 yr. compressor warranty, standard | | |
| | 1 | ea | Breeze w/EnergyWise self-contained refrigeration system, standard | | |
| | 1 | ea | Contact factory for electrical information | | |
| | 1 | ea | NOTE: Compressor air intake from rear and out front panel, front panel cannot be blocked (Not applicable with remote refrigeration option) | | |
| | 1 | ea | NOTE: Units are supplied w/levelers extended 1-1/4" and MUST be adjusted during installation to ensure unit is level for operation | | |
| | 1 | ea | Clean Sweep automatic condenser coil cleaner | 616.37 | 616.37 |
| | 1 | ea | Exterior: Wilsonart or Formica no-charge laminate (Color chart available from factory rep or access color selections via www.wilsonart.com or www.formica.com)(nc) | | |
| | 1 | ea | No-charge Laminate color to be specified, please refer to page 1 for color in current price book | | |
| | 1 | ea | Lower Front panel: Standard black | | |
| | 1 | ea | Black sneeze guard post | | |
| | | | model discontinued this is newmodel need finish and option | | |
| | | | Extended Total for Item No. 1: \$12,343.74 | | |
| 2 | | | POS by OPS | | By Others |
| 3 | | | custom chips rack by CGR1 | | By Others |
| 4 | 1 | ea | ESPRESSO CAPPUCINO MACHINE | 10,209.89 | 10,209.89 |
| | | | Bunn-O-Matic Model No. TIGER-XLS-0007 Packed: each | | |
| | | | 35800.0007 Tiger XL S-2 Espresso Machine, super-automatic, Intellisteam® wand, up to 180 shots/hr, control pad, (2) 1.75lb bean | | |

| Item | Qty | | Description | Sell Each | Sell Total |
|------|-----|----|---|-------------|------------|
| | | | hoppers, adjustable cup height, pod brewing feature, water filtration system, 208v/60/1-ph, 2400 watts, (Pricing may vary from MSRP, contact BUNN to confirm pricing and installation/service package options) | | |
| | 1 | ea | Installation and 2-year preventative maintenance | | |
| | 1 | ea | EQHP-ESP-0008 39000.0008 EQHP-ESP Easy Clear® Espresso Water | 117.89 | 117.89 |
| | | | Quality System, high performance, 422 gallons of hardness reduction @ 10.5 GPG (grains per gallon), .5 gpm flow rate, 5 micron, Integrated | | |
| | | | carbon block, Quick Connect | | |
| | | | Extended Total for Item No. 4: \$10,327.78 | | |
| 5 | | | custom bakery case by CGR1 | | By Others |
| 6 | 1 | ea | REFRIGERATOR, UNDERCOUNTER, REACH-IN | 1,107.76 | 1,107.76 |
| | | | Beverage Air Model No. UCR20Y | , | , |
| | | | Undercounter Refrigerator, one-section, 20" W, 2.7 cu. ft., (1) door, (2) | | |
| | | | shelves, stainless steel exterior & top, aluminum interior, shallow depth, rear-mounted self-contained refrigeration, 6" legs, 1/6 hp, UL, cUL, UL-EPH, MADE IN USA | | |
| | 1 | 62 | Limited Warranty: 1 yr parts and labor | | |
| | 1 | | Additional 4 yr compressor warranty, standard | | |
| | | | 115v/60/1-ph, 3.0 amps, standard | | |
| | 1 | | | | |
| | 1 | | Door hinged on right standard | | |
| | 1 | ea | 3" Casters, in lieu of standard 6" heavy duty legs, no charge when specified on order | | |
| | | | please confirm 3" casters in lieu of 6' legs | | |
| | | | Extended Total for Item No. 6: \$1,107.76 | | |
| 7 | | | | | |
| 7 | | | Fruit display TBD | | By Others |
| 8 | | | Spare No. | 4 0 4 0 5 4 | Spare |
| 9 | 1 | ea | REFRIGERATOR, UNDERCOUNTER, REACH-IN | 1,919.54 | 1,919.54 |
| | | | Continental Refrigerator Model No. UC48 | | |
| | | | Undercounter Refrigerator, 48" wide, two-section, (2) field rehingable doors, stainless steel front, aluminum top sides & interior, 3-5/8" casters, rear-mounted self-contained refrigeration, 1/5 hp | | |
| | 1 | ea | 115v/60/1, 10' cord & plug, standard | | |
| | 1 | ea | Standard warranty: 1 year parts and labor; 5 year compressor | | |
| | | | Extended Total for Item No. 9: \$1,919.54 | | |
| 10 | | | bread display TBD | | By Others |
| 11 | 1 | ea | HEATED CABINET, MOBILE, HALF-HEIGHT | 2,536.98 | 2,536.98 |
| | | | Metro Model No. C563L-SFS-U Packed: each | | |
| | | | C5 [™] 6 Series Heated Holding Cabinet, mobile, undercounter, insulated, solid door, top mount controls & analog thermometer, ducted heating system, thermostat 70° to 200°F temp, universal wire slides, (5) 18" x 26" or (10) 12" x 20" x 2-1/2" pan capacity, 3" O.C. (adjustable on 1-1/2" increments), 3" casters, 304 stainless steel, 120v/60/1-ph, 1440 watts, 12 amps, NEMA 5-15P, UL, CUL, NSF | | |
| | | | Extended Total for Item No. 11: \$2,536.98 | | |
| 12 | 1 | ea | ICE MAKER WITH BIN, CUBE-STYLE | 1,778.15 | 1,778.15 |
| 12 | | ou | Scotsman Model No. CU50PA-1 Packed: each | 1,770.10 | 1,770.10 |
| | | | Undercounter Ice Maker w/Bin, Gourmet Cube, air-cooled, self-contained | | |
| | | | condenser, up to 65-lb production w/ 26 lb storage capacity, stainless steel | | |
| | | | exterior with built in pump drain, 1" adjustable legs, 115v/60/1-ph, 14.4 amps w/cord (15 amp circuit required), ENERGY STAR® | | |
| | 1 | ea | | | |

Steven Institute of Technology ZEBI

| 1 ea ADS-AP1 AquaPatrol™ Water Filtration System, single system, designed for ice makers & beverage equipment, cubers up 650lbs., flakers, nuggets & nugget dispensers up to 1,200 lbs. 132.8 13 1 ea DROP-IN SINK 294.5 Eagle Group Model No. SR14-16-9.5-1 Packed: each Sink Bowl, Drop-In, 1 compartment, 16"W x 14"L x 9-1/2"D, heavy gauge stainless steel, #302004 deck mounted gooseneck faucet, 3-1/2" drain hole, basket drain, mounting hardware, NSF 1 ea 1 ea Faucet hole punched on 4" centers, standard 149.6 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF 146.7 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF 146.7 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF 146.7 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser Addred 146.7 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser Addred 146.7 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser Addred 146.7 1 ea Blendtec LITTLE RED RINSE JRE Little Re | 4 132.84 |
|---|------------|
| 13 1 ea DROP-IN SINK 294.5 Eagle Group Model No. SR14-16-9.5-1 Packed: each Sink Bowl, Drop-In, 1 compartment, 16"W x 14"L x 9-1/2"D, heavy gauge stainless steel, #302004 deck mounted gooseneck faucet, 3-1/2" drain hole, basket drain, mounting hardware, NSF 1 ea Faucet hole punched on 4" centers, standard 1 ea 313306 T&S Faucet, 8" spout, 4" center, deck mount, for counter drop-in sinks 149.6 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF 146.7 1 ea Blendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN 1,782.1 14 1 ea COLD FOOD PAN, DROP-IN 1, | |
| Eagle Group Model No. SR14-16-9.5-1 Packed: each Sink Bowl, Drop-In, 1 compartment, 16"W x 14"L x 9-1/2"D, heavy gauge stainless steel, #302004 deck mounted gooseneck faucet, 3-1/2" drain hole, basket drain, mounting hardware, NSF 1 ea 1 ea 313306 T&S Faucet, 8" spout, 4" center, deck mount, for counter drop-in sinks 1 ea 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF 1 ea Blendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN 1,782.1 Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 1 ea 5-year compressor warranty (net) 107.5 | |
| Sink Bowl, Drop-In, 1 compartment, 16"W x 14"L x 9-1/2"D, heavy gauge stainless steel, #302004 deck mounted gooseneck faucet, 3-1/2" drain hole, basket drain, mounting hardware, NSF1eaFaucet hole punched on 4" centers, standard1ea313306 T&S Faucet, 8" spout, 4" center, deck mount, for counter drop-in sinks1eaBlendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF1eaBlendtec 1 yr. parts & labor; lifetime nozzle warranty (standard)1eaBlendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, Extended Total for Item No. 13:\$590.89141eaCOLD FOOD PAN, DROP-IN Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-71ea1ea120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std.107.5 | 7 294.57 |
| stainless steel, #302004 deck mounted gooseneck faucet, 3-1/2" drain hole, basket drain, mounting hardware, NSF 1 ea Faucet hole punched on 4" centers, standard 1 ea 313306 T&S Faucet, 8" spout, 4" center, deck mount, for counter drop-in sinks 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser[™], rinses containers up to 8" diameter, includes flexible water connection line, NSF 1 ea Blendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 1 ea 5-year compressor warranty (net) | |
| 1 ea 313306 T&S Faucet, 8" spout, 4" center, deck mount, for counter drop-in sinks 149.6 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF 146.7 1 ea Blendtec 1 yr. parts & labor; lifetime nozzle warranty (standard) 1 1 ea Blendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN 1,782.1 Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 107.5 | |
| sinks 1 ea Blendtec LITTLE RED RINSE JRE Little Red Rinser™, rinses containers up to 8" diameter, includes flexible water connection line, NSF 146.7 1 ea Blendtec 1 yr. parts & labor; lifetime nozzle warranty (standard) 1 1 ea Blendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, 1 Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 107.5 | |
| up to 8" diameter, includes flexible water connection line, NSF ea Blendtec 1 yr. parts & labor; lifetime nozzle warranty (standard) ea Blendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN 1,782.1 Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. ea 5-year compressor warranty (net) | 0 149.60 |
| 1 ea Blendtec JRE-604 6' flexible nylon-reinforced tubing with 3/8" compression fittings for water hook-up, Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN 1,782.1 Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 107.5 | 2 146.72 |
| fittings for water hook-up, Extended Total for Item No. 13: \$590.89 14 1 ea COLD FOOD PAN, DROP-IN 1,782.1 Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 1 ea 5-year compressor warranty (net) 107.5 | |
| 14 1 ea COLD FOOD PAN, DROP-IN Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 107.5 | |
| Atlas Metal Model No. RM-1 Packed: each Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. ea 5-year compressor warranty (net) 107.5 | |
| Cold Food Drop-In Unit, refrigerated, 3" recessed top, 1-pan size, self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 1 ea 5-year compressor warranty (net) 107.5 | 4 1,782.14 |
| self-contained refrigeration, insulated pan, stainless steel inner liner & top, galvanized steel outer liner, with on/off thermostat switch and pilot light, NSF-7 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 1 ea 5-year compressor warranty (net) 107.5 | |
| 1 ea 120v/60/1-ph, 1/5 hp, 3.0 amps, NEMA 5-15P, std. 1 ea 5-year compressor warranty (net) 107.5 | |
| 1 ea 5-year compressor warranty (net) 107.5 | |
| Extended Total for Item No. 14: \$1,889.66 | 2 107.52 |
| | |
| 15 1 ea ICE BIN, DROP-IN 460.4 | 5 460.45 |
| Delfield Model No. 305 | |
| Ice Bin/Chest, with cover, drop-in design, 45 lb. ice capacity, 21-1/4" x 15-1/4" x 13" | |
| 1 ea One year parts and 90 day labor warranty, standard | |
| Extended Total for Item No. 15: \$460.45 | |
| 16 1 ea BLENDER, BAR TYPE 88.3 | 6 88.36 |
| Waring Model No. BB150 Packed: each | |
| Bar Blender, 48 ounce capacity, two speed motor, polycarbonate container, w/removable blade assembly, die-cast black zinc baked enamel base, with lid, rugged one-piece s/s blade, NSF, CUL & UL listed | |
| 1 ea Standard 2-year limited warranty | |
| 1 ea 120v, 50/60Hz, std. | |
| Extended Total for Item No. 16: \$88.36 | |
| 171eaCOFFEE BREWER FOR AIRPOT1,091.8101,091.81,091.8 | 3 1,091.83 |
| Bunn-O-Matic Model No. AXIOM-APS-0013 Packed: each | |
| 38700.0013 AXIOM [™] Twin APS Airpot Coffee Brewer, brews 15 gallon per hour capacity, twin brew head system,), LCD display, hot water faucet, digital temperature control, electronic diagnostics, brews into 1.9 to 3 litre airpots (sold separately), energy-saver mode, 120/240v/60/1-ph, 6100w, 26 amps, UL, NSF | |
| no air pot provided | |
| 1 ea EQHP-10-0004 39000.0004 EQHP-10 Easy Clear® Medium/High Water 88.6 System, 10,000 gallon, reduced sediment, chlorine taste & odor, 1.5 gpm, equipment protection, 10 micron, includes: a head assembly, integral | 7 88.67 |
| Steven Institute of Technology ZEBI Performance Interiors | |

| Item | Qty | | Description | | Sell Each | Sell Tota |
|------|-----|----|---|--------------------------|-----------|---------------------------------|
| | | | mounting bracket and cartridge filter, Quick Connect, NSF | | | |
| | | | Extended Total for Item No. 17: | \$1,180.50 | | |
| 18 | | | Printer by OPS | | | By Others |
| 19 | 1 | ea | | | 7,253.91 | 7,253.91 |
| | | | Merrychef USA Model No. E4 Packed: each | | | |
| | | | eikon™ Convection, Air Impingement and Microwave Speed 208/240v/60/1-ph, 30 amps | Oven, | | |
| | 1 | ea | 1 year parts & labor warranty, std. | | | |
| | 1 | ea | START-UP KIT Start-Up Accessory Kit, includes (1) quarter-size HardCoat sheet pan, (1) large mesh Teflon basket, (1) oven paddle, (1) half-size hotel pan | | 140.80 | 140.80 |
| | | | • | \$7,394.71 | | |
| 20 | | | oat meal topping TBD | | | By Others |
| 21 | 4 | ea | DROP-IN HOT FOOD WELL UNIT, ELECTRIC Wells Model No. SS-10ULTD Packed: each | | 278.46 | 1,113.84 |
| | | | Food Warmer, top-mount, built-in, electric, for 11-quart round drain, wet/dry operation, thermostatic controls, stainless stee Wellslok, UL listed, 620w/825w | | | |
| | 4 | ea | Limited 2 year parts & 1 year labor warranty, standard | | | |
| | 4 | ea | 21569 120v/60/1-ph, 825w, 6.9 amps, direct | | | |
| | 4 | ea | 21709 Drain Screen | | 7.14 | 28.56 |
| | 4 | ea | 22592 Wellslok Extension Kit, for UL listed circular warmers wood countertop up to 1-1/2" thick | only, to adapt | 38.08 | 152.3 |
| | | | Extended Total for Item No. 21: | \$1,294.72 | | |
| 22 | 1 | ea | SINK, HAND | | 224.78 | 224.78 |
| | | | Eagle Group Model No. HSA-10-FA Packed: each | | | |
| | 1 | ea | Hand Sink, wall model, 14-3/4" x 18-7/8" with 7-1/2" backspla steel construction, splash mount gooseneck faucet, P-trap ar basket drain, deep-drawn seamless design-positive drain, NS 313305 Extra Heavy Duty Gooseneck Faucet, wrist handles, | nd tail piece, SF | 189.31 | 189.3 <i>°</i> |
| | | | 4" O.C., NSF | \$414.09 | | |
| 23 | 1 | 62 | REFRIGERATOR FREEZER, REACH-IN | | 6,229.43 | <optional></optional> |
| 20 | I | cu | True Food Service Equipment Model No. TA2DT-2S | | 0,220.40 | Coptionals |
| | | | Refrigerator/Freezer, Dual Temp, refrigerator/freezer, (6) vin shelves, 300 series stainless steel exterior, white aluminum i stainless steel floor, 34-5/8"D, (2) stainless steel full-height h with lock, 4" swivel castors, 1/3 & 1/2 HP, 115/208-230v/60/1 14-20P, 12.2 amps, MADE IN USA | nterior with inged doors | | |
| | 1 | ea | Self-contained refrigeration standard | | | <optional></optional> |
| | 1 | | 4" Castors, standard | | | <optional></optional> |
| | 1 | | Warranty - 5 year compressor (self-contained only), please v www.truemfg.com for specifics | | | <optional></optional> |
| | 1 | | Warranty - 1 year parts and labor, please visit www.truemfg.os | com for | | <optional:< td=""></optional:<> |
| | 1 | ea | Left door hinged left, right door hinged right std. not included in total | | | <optional></optional> |
| x | 1 | ea | THIS QUOTE IS VALID FOR 30 DAYS FROM ABOVE DATE PERFORMANCE INTERIORS Model No. 30 DAYS VALID | • | | |
| | | | This quote is valid for 30 days from above date. | | | |

| Item | Qty | Description | | Sell Each | Sell Total |
|------|---|---|----------|-----------|------------|
| | | PERFORMANCE INTERIORS Model No. LIFT-GATE | | | |
| | Lift-Gate delivery is not included in the Freight Cost. If lift-gate delivery is required, additional charges will apply for each manufacturer on this quotation. Lift-gate charges can be obtained upon request. | | | | |
| | | Mer | chandise | | 43,460.17 |
| | | Frei | ght | | 1,761.70 |
| | | Tota | ıl | | 45,221.87 |
| | | | | | |
| | | Acceptance: | Date: | | |

Printed Name: _____